

Thermowell for screw-in or weld-in (fabricated) Models SWT52G, SWT52S, SWT71G, SWT71S

WIKA data sheet TW 90.11

Applications

- Wide range of applications in vessel, tubing and apparatus construction, machine building and industrial heating
- For use with models 52 and 73 mechanical thermometers

Special features

- Cost-effective design
- Quick adjustability and replaceability of thermometers



Fig. left: Thermowell with thread Fig. right: Thermowell with weld cones

Description

Each thermowell is an important component of any temperature measurement point. It is used to separate the process from the surrounding area, thus protecting the environment and operating personnel and keeps aggressive media, high pressures and flow rates from the temperature sensor itself and thereby enables the thermometer to be exchanged during operation.

Based on the almost limitless application possibilities, there are a large number of variants, such as thermowell designs or materials. The type of process connection and the basic method of manufacture are important design differentiation criteria. A basic differentiation can be made between threaded and weld-in thermowells, and those with flange connections. Furthermore, one can differentiate between fabricated and solid-machined thermowells. Fabricated thermowells are constructed from a tube, that is closed at the tip by a welded solid tip. Solid-machined thermowells are manufactured from barstock.

The SWTxx series of fabricated ¹⁾ screw-in or weld-in thermowells are specifically adapted for use with the models 52 and 73 mechanical thermometers.

Due to the cost-effective design and fast adjustment and exchange of the thermometer, these are the thermowells of choice for use in machine building and heating technology.

1) For short insertion lengths (copper alloy) solid-machined version optionally

WIKA data sheet TW 90.11 · 11/2015



Standard version

Thermowell material process connection

Copper alloy, St35²⁾ or stainless steel

Process connection

Models SWT52G, SWT71G: G 1/2 B thread Models SWT52S, SWT71S: weld cones

Connection to thermometer

Suitable for thermometers with smooth connection (without threads), collar Ø 18 mm; Fixing via M4 retaining screw

Bore size

Suitable for 8 mm insertion diameter (model 52 thermometer) or 13 mm (model 73 thermometer)

Insertion length

Suitable for the various standard insertion lengths, $l_{1,}$ of models 52 and 73 thermometers

Max. process temperature, process pressure


160 °C with copper alloy as thermowell material (6 bar stat.) 500 °C with St35, stainless steel as thermowell material (25 bar stat.)

Depending on

- Thermowell design
 - Dimensions
 - Material
- Process conditions
 - Flow rate
 - Density of medium

2) Thermowell stem material: stainless steel

Dimensions in mm



Threaded process connection


(Copper alloy, St35 or stainless steel)

Thermometer	Dimensions in mm				
	l ₁	E	SW	ØF1	ØD ₁
Model 52	45	G ½ B	27	10	26
	63	G ½ B	27	10	26
	100	G ½ B	27	10	26
	160	G ½ B	27	10	26
	200	G ½ B	27	10	26
Model 73	63	G ½ B	27	16	26
	100	G ½ B	27	16	26
	160	G ½ B	27	16	26
	200	G ½ B	27	16	26

Weld cone process connection

(St35 or stainless steel)

Thermometer	Dimensions in mm				
	I ₂	Ød ₅	ØF1		
Model 52	43	24	10		
	80	24	10		
	140	24	10		
	180	24	10		
Model 73	43	24	16		
	80	24	16		
	140	24	16		
	180	24	16		



Suitable for insertion lengths of models 52 and 73 thermometers

Process connection	Insertion length, I_1 , of the thermometer
Thread	I_1 = insertion length, I_1 , of the thermowell
Weld cones	I_1 = insertion length, I_2 , of the thermowell + 20 mm

Ordering information

Model / Material / Process connection / Insertion length / Options

© 2005 WIKA Alexander Wiegand SE & Co. KG, all rights reserved. The specifications given in this document represent the state of engineering at the time of publishing. We reserve the right to make modifications to the specifications and materials.

WIKA data sheet TW 90.11 · 11/2015

Page 3 of 3



WIKA Alexander Wiegand SE & Co. KG Alexander-Wiegand-Straße 30 63911 Klingenberg/Germany Tel. +49 9372 132-0 Fax +49 9372 132-406 info@wika.de www.wika.de